

**CS 4061 Spring 2000, Exam 1**

**Name:** \_\_\_\_\_ **ID#** \_\_\_\_\_

Question 1. Abstraction and Resource Management. (20 pts.)

In an operating system, how is the concept of abstraction tied to the notion of a privileged state? Explain in general and give one specific example.

Question 2. Resource Management. (20 pts.)

A. List and explain an event that can cause a process to move from the running state to the ready state. If no such event exists, explain why.

B. List and explain an event that can cause a process to move from the running state to the waiting state. If no such event exists, explain why.

C. List and explain an event that can cause a process to move from the waiting state to the ready state. If no such event exists, explain why.

D. List and explain an event that can cause a process to move from the ready state to the waiting state. If no such event exists, explain why.

Question 3. Process Control. (20 pts.)

A. If `fork` is called once and succeeds, how many times does it return? Explain your answer.

B. If `fork` is called once and fails, how many times does it return? Explain your answer.

C. If `exit` is called once, how many times does it return? Explain your answer.

D. If an `exec` family function is called once and succeeds, how many times does it return? Explain your answer.

E. If an `exec` family function is called once and fails, how many times does it return?  
Explain your answer.

Question 4. Standard I/O. (20 pts.)

A. The ANSI C Standard I/O library allows application programmers to use the same high-level function calls on any system for which an ANSI-C-compliant compiler exists. Is this an example of horizontal abstraction, vertical abstraction, neither, or both?  
Explain your answer.

B. Explain, in broad outline, what it means for the Standard I/O library to buffer input and output and how this is accomplished.

C. List and explain two benefits of the I/O buffering done by the Standard I/O library functions.

D. List and explain one risk involved in using I/O buffering, such as that provided by the Standard I/O library.

Question 5. Process Control. (20 pts.)

A. A `fork` system call creates a *nearly* identical child copy of the parent process that executed the `fork`. List two immediate *differences* between the parent and the child process and explain why these differences must exist at the time the child process is created.

B. In general, if we do a `fork` followed by an `exec` family function, the `exec` takes place in the child process, rather than the parent. List and explain one reason that this is the normal way of doing things if process synchronization is desired.